

J-225 이이오방청윤활 EEO Oil 사용설명서

[본사 및 공장]

경기도 평택시 청북읍 백봉길 314-63 (백봉리 534-22)

TEL : 031-681-0020 FAX : 031-683-7669

[군포 사무실]

경기도 군포시 고산로 148번길 17 (당정동 1045) 군포IT밸리 A동 28층 2801-1호

TEL : 031-8086-7272 FAX : 031-8086-8288

www.jwchem.co.kr

E-mail : jw7667@hanmail.net

J-225 이이오방청윤활

용량 : Aerosol 420ml

포장단위 : Box(28can)

1. 용도

금속이나 플라스틱의 매끄러운 윤활작용, 각종기계와 부품장비의 녹 방지용 또는 녹 제거용.
빠격거리는 모든 곳에 사용.

2. 특성

- ① 각종 기계 장비의 작동을 부드럽게 하고 일체의 잡음을 없앱니다.
- ② 녹을 분해하며 침투해 들어가 녹과 기기를 분리시킵니다.
- ③ 녹이 다시 안 나게 하는 방청효과가 있습니다.
- ④ 습기를 물체로부터 차단하여 분리시킵니다.
- ⑤ 금속표면의 오염물을 분해시켜 제거합니다.

3. 사용방법

- ① 충분히 흔들어서 사용하십시오.
- ② 15cm~30cm 거리를 두고 스프레이 하십시오.

4. 사용처

- ① 광범위한 모든 기기의 침투, 세척, 윤활, 방청이 필요한 부분.
- ② 기계, 기구, 공구의 녹 제거.
- ③ 고착되어 있는 볼트 너트, 와이어, 체인, 구동부위.
- ④ 세척이 필요한 부분.

5. 사용상 주의사항

- ① 불꽃을 향하여 사용하지 마십시오.
- ② 난로, 풍로 등 화기부근에서 사용하지 마십시오.
- ③ 화기를 사용하고 있는 실내에서 사용하지 마십시오.
- ④ 온도 40℃이상의 장소에 보관하지 마십시오.
- ⑤ 밀폐된 실내에서 사용한 후에는 반드시 환기를 실시하십시오.
- ⑥ 불 속에 버리지 마십시오.
- ⑦ 사용 후 잔가스가 없도록 하여 버리십시오.
- ⑧ 밀폐된 장소에 보관하지 마십시오.

- ⑨ 어린이의 손에 닿지 않는 곳에 보관하십시오.
- ⑩ 용도 외에는 사용하지 마십시오.
- ⑪ 직사광선이나 열기에 노출시 폭발할 수 있습니다.
- ⑫ 사람이나 음식물에 직접 분사하지 마십시오.
- ⑬ 용기와 결합된 밸브를 억지로 벗기지 마십시오.
- ⑭ 내용물이 눈이나 피부에 닿으면 깨끗한 물로 씻고 이상이 있을 경우 의사와 상의하십시오.
- ⑮ 내용물을 먹거나 삼킨 경우 응급조치를 하고 즉시 의사와 상의하십시오.

J-225 EEO Oil

Capacity : Aerosol 420mℓ

Packing Unit : Box(28can)

1. Use

The smooth lubrication of metal or plastic and the rust prevention or removal of various machines, parts, equipment.

Used for all the creaky places.

2. Characteristics

- ① The operation of various machines and equipment is smoothened, and noise is removed completely.
- ② Rust is separated from the device by decomposing and penetrating into the rust.
- ③ There is the rust preventive effect of not generating the rust again.
- ④ Moisture is blocked and separated from the object.
- ⑤ The contaminated material is decomposed and removed from the metal surface.

3. Method of Use

- ① Shake it fully before use.
- ② Keep the distance of 15cm to 30cm for spray.

4. Intended Use

- ① The part requiring the penetration, cleaning, lubrication, and rust prevention of all the widespread devices
- ② The rust removal of machinery, devices, and tools
- ③ The fixed bolt, nut, wire, chain, and driving parts
- ④ The part requiring cleaning

5. Instructions for Use

- ① Do not use it toward the flame.
- ② Do not use it around fire including the heater and the air furnace.
- ③ Do not use it in the inside using fire.
- ④ Do not keep it in the place at the 40°C or higher temperature.
- ⑤ Fully ventilate it in case of using it in the closed space.

- ⑥ Do not throw it into fire.
- ⑦ Dispose of it without the remnant gas after use.
- ⑧ Do not keep it in the closed place.
- ⑨ Keep it in the place not reached by a child.
- ⑩ Do not use it except for the proper use.
- ⑪ It may be exploded in case of exposure to the direct light or heat.
- ⑫ Do not spray it to a human or food directly.
- ⑬ Do not strip off the valve combined with the container forcibly.
- ⑭ If the content contacts the eye or skin, clean it with clear water. In case of abnormality, consult with the doctor.
- ⑮ In case of eating or swallowing the content, take an emergency action and consult with the doctor immediately.