

J-279A 방청제(장기 방청)  
Rust Preventative  
(Long-Term Rustproof)  
사용설명서

---

[본사 및 공장]

경기도 평택시 청북읍 백봉길 314-63 (백봉리 534-22)

TEL : 031-681-0020 FAX : 031-683-7669

[군포 사무실]

경기도 군포시 고산로 148번길 17 (당정동 1045) 군포IT밸리 A동 28층 2801-1호

TEL : 031-8086-7272 FAX : 031-8086-8288

[www.jwchem.co.kr](http://www.jwchem.co.kr)

E-mail : [jw7667@hanmail.net](mailto:jw7667@hanmail.net)

---

# J-279A 방청제(장기 방청)

용량 : 20 ℓ  
포장단위 : Bulk(20 ℓ)

## 1. 용도

각종 금속류의 녹과 부식 방지 및 장기 보관

## 2. 특성

- ① 장기적인 방청이 필요시 사용됩니다.
- ② 황갈색의 투명코팅제로 깨끗하고 얇은 피막으로 빠르게 건조되어 경제적입니다.
- ③ 코팅면이 금이 가거나 쉽게 벗겨지지 않습니다.
- ④ 분자력으로 밀착되어 흠집이 나도 자체적으로 봉합됩니다.
- ⑤ 부식작용으로부터 완벽하게 보호해줍니다.

## 3. 사용방법

- ① 에어건을 이용한 스프레이가 가능합니다.
- ② 붓, 롤러 등을 이용해 도포할 수 있습니다.
- ③ 부품을 직접 담금 처리할 수 있습니다.
- ④ 적정온도는 상온(20°C~25°C)입니다.

## 4. 사용처

- ① 모든 금속표면, 기계부품, 금형, 장비, 철판.
- ② 녹이나 부식으로부터 보호해야하는 장기 보관을 요하는 제품.
- ③ 틈이나 갈라진 부분.
- ④ 습기 찬 부분.

## 5. 사용상 주의사항

- ① 어린이의 손에 닿지 않는 곳에 보관하십시오.
- ② 용도 외에는 사용하지 마십시오.
- ③ 직사광선이나 열기에 노출시키지 마십시오.
- ④ 사람이나 음식물에 직접 분사하지 마십시오.
- ⑤ 내용물이 눈이나 피부에 닿으면 깨끗한 물로 씻고 이상이 있을 경우 의사와 상의하십시오.
- ⑥ 넘어진 채로 방치되면 액이 흘러나올 수 있으므로 주의하십시오.
- ⑦ 눈보다 높은 곳에서 사용하면 분사액이 눈에 들어갈 수 있으므로 스펀지나 천에 묻혀 사용하십시오.

- ⑧ 밀폐된 공간에서 사용시 충분히 환기를 하십시오.
- ⑨ 변색, 탈색 등의 우려가 있는 곳에 사용시 눈에 띄지 않는 부위에 사전 변색, 탈색 등의 유무를 확인한 후 사용하십시오.
- ⑩ 사용 후 잔량은 잘못 사용될 우려가 있으므로 원래의 용기에 보관하십시오.
- ⑪ 내용물을 먹거나 삼킨 경우 응급조치를 하고 즉시 의사와 상의하십시오.
- ⑫ 장갑 및 보호장구를 착용하고 사용하십시오.
- ⑬ 화기를 피하십시오.

# J-279A Rust Preventative (Long-Term Rustproof)

Capacity : 20 ℓ

Packing Unit : Bulk(20 ℓ )

---

## 1. Use

---

Rust and corrosion prevention and long-term storage of various metals

---

## 2. Characteristics

---

- ① It is used for the long-term rustproof.
- ② It is the yellowish brown transparent coating agent. It has the clean and thin film. It is economical due to fast dryness.
- ③ The coating surface is not cracked or not easily stripped off.
- ④ It is adhered with the molecular force so that a scratch is self-stitched.
- ⑤ It is perfectly protected from corrosion.

---

## 3. Method of Use

---

- ① The spray using the air gun is possible.
- ② It can be spread with the brush or the roller.
- ③ A part can be quenched directly.
- ④ The proper temperature is the room temperature (20°C~25°C).

---

## 4. Intended Use

---

- ① All metal surfaces, machinery parts, molds, equipment, and steel plates
- ② The long-term storage requiring product to be protected from rust or corrosion
- ③ A gap or a crack
- ④ The damp part

---

## 5. Instructions for Use

---

- ① Keep it in the place not reached by a child.
- ② Do not use it except for the proper use.
- ③ It may be exploded in case of exposure to the direct light or heat.
- ④ Do not spray it to a human or food directly.

- ⑤ If the content contacts the eye or skin, clean it with clear water. In case of abnormality, consult with the doctor.
- ⑥ Be careful that liquid may flow out if left as it is fallen.
- ⑦ If it is used in the spot higher than the eye, the spray liquid may enter the eye. Hence, have it on the sponge or cloth for use.
- ⑧ Fully ventilate it in case of using it in the closed space.
- ⑨ In case of using it in the spot with possible discoloration or bleaching, check the discoloration and bleaching of the invisible part in advance before use.
- ⑩ The remnant after use may be misused. Hence, keep it in the original container.
- ⑪ In case of eating or swallowing the content, take an emergency action and consult with the doctor immediately.
- ⑫ Wear gloves and protective equipment for use.
- ⑬ Avoid fire.